

# Pre-Calculus 12

## Application of Logs

---

### I. Growth and Decay

**Doubling Period:** The time it takes for a population/substance to double in size.

**Half-Life:** The time it takes for a population/substance to reduce to half its size. (decompose)

$\pi$  – used in formulas to determine area and circumference of a circle

$e$  – an irrational number (like  $\pi$ ) whose value is 2.718... It's a special value used to determine growth of populations; formula for natural growth.

### The Law of Natural Growth

This formula is used for continuous growth and decay.

$$A = Pe^{rt}$$

**Where:**

A = Final amount

P = Original amount

r = Growth Rate

t = Time

### Examples

1. A radioactive substance decays at a daily rate of 0.13. How long does it take for this substance to decompose to half its size?

2. There are 500 gophers in a field on May 31<sup>st</sup>. On June 20<sup>th</sup> there are 800.

a) Find the rate of growth.

b) How many gophers are there on June 28<sup>th</sup>?

3. Lead-210 is a radioactive nuclide. If 8g of it decays to 6.75g in 5 years, then what is the half-life of lead-210?

## II. Earthquakes

The most intense earthquake ever recorded was in Chile in May 1960, with a magnitude of 9.5.

$$M = \log \frac{I}{S}$$

Where: M is the magnitude  
I is the intensity of the ground motion  
S is the intensity of a standard earthquake

- a) Calculate the intensity of the earthquake in Chile in terms of a standard earthquake.
- b) An earthquake that occurred in Haiti was  $10^7$  times as intense as a standard earthquake. How many times as intense as the Haiti earthquake was the Chile earthquake? Give answer to the nearest whole number.